


Round / Tubes

ALBROMET 200 Tube, Horizontal Continuous Cast							
Size mm	Weight kg/m	Size mm	Weight kg/m	Size mm	Weight kg/m	Size mm	Weight kg/m
∅ 33,1/∅ 17,8	5,0	∅ 71,2/∅ 55,9	12,3	∅ 103,6/∅ 23,1	61,6	∅ 129,7/∅ 111,8	30,5
∅ 33,1/∅ 20,9	4,3	∅ 77,6/∅ 24,1	33,0	∅ 103,6/∅ 35,8	55,8	∅ 136,0/∅ 111,8	38,9
∅ 36,3/∅ 24,1	4,8	∅ 77,6/∅ 30,5	31,4	∅ 103,6/∅ 42,2	53,0	∅ 142,4/∅ 73,7	91,2
∅ 39,5/∅ 17,8	7,8	∅ 77,6/∅ 36,8	28,7	∅ 103,6/∅ 48,5	51,2	∅ 142,4/∅ 86,4	79,4
∅ 39,5/∅ 24,1	6,2	∅ 77,6/∅ 43,2	25,7	∅ 103,6/∅ 54,9	47,1	∅ 142,4/∅ 99,1	65,6
∅ 45,8/∅ 17,8	11,2	∅ 77,6/∅ 49,5	22,1	∅ 103,6/∅ 61,2	42,5	∅ 142,4/∅ 111,8	49,9
∅ 45,8/∅ 24,1	9,6	∅ 77,6/∅ 55,9	18,2	∅ 103,6/∅ 67,6	39,1	∅ 142,4/∅ 124,5	32,5
∅ 45,8/∅ 30,5	7,4	∅ 77,6/∅ 62,2	13,6	∅ 103,6/∅ 73,9	33,0	∅ 150,2/∅ 123,6	44,8
∅ 49,0/∅ 36,8	6,8	∅ 84,6/∅ 42,2	33,6	∅ 103,6/∅ 80,3	27,3	∅ 156,5/∅ 47,4	131,2
∅ 52,2/∅ 17,8	14,9	∅ 84,6/∅ 48,5	29,9	∅ 103,6/∅ 86,6	20,7	∅ 156,5/∅ 60,1	123,4
∅ 52,2/∅ 24,1	13,3	∅ 84,6/∅ 54,9	26,0	∅ 110,6/∅ 67,3	45,8	∅ 156,5/∅ 72,8	117,6
∅ 52,2/∅ 30,5	11,3	∅ 84,6/∅ 61,2	21,6	∅ 110,6/∅ 73,7	40,4	∅ 156,5/∅ 85,5	102,2
∅ 52,2/∅ 36,8	8,7	∅ 84,6/∅ 67,6	16,7	∅ 110,6/∅ 86,4	28,5	∅ 156,5/∅ 98,2	92,5
∅ 55,3/∅ 43,2	7,9	∅ 90,9/∅ 23,1	45,9	∅ 117,0/∅ 35,8	73,1	∅ 156,5/∅ 110,9	76,5
∅ 58,5/∅ 24,1	17,5	∅ 90,9/∅ 30,5	43,2	∅ 117,0/∅ 48,3	67,2	∅ 156,5/∅ 123,6	59,3
∅ 58,5/∅ 30,5	15,5	∅ 90,9/∅ 35,8	42,7	∅ 117,0/∅ 61,0	59,0	∅ 169,2/∅ 110,9	101,6
∅ 58,5/∅ 36,8	13,0	∅ 90,9/∅ 42,2	39,9	∅ 117,0/∅ 67,3	54,3	∅ 169,2/∅ 123,6	80,9
∅ 58,5/∅ 43,2	9,9	∅ 90,9/∅ 48,5	36,5	∅ 117,0/∅ 73,7	49,0	∅ 169,2/∅ 136,3	64,9
∅ 61,7/∅ 49,5	8,8	∅ 90,9/∅ 54,9	32,9	∅ 117,0/∅ 80,0	43,3	∅ 181,9/∅ 72,8	168,3
∅ 64,9/∅ 24,1	22,3	∅ 90,9/∅ 61,2	28,4	∅ 117,0/∅ 86,4	37,0	∅ 181,9/∅ 98,2	141,3
∅ 64,9/∅ 30,5	20,2	∅ 90,9/∅ 67,6	23,3	∅ 117,0/∅ 99,1	23,1	∅ 181,9/∅ 123,6	110,6
∅ 64,9/∅ 36,8	17,7	∅ 90,9/∅ 73,9	18,1	∅ 123,3/∅ 99,1	35,2	∅ 181,9/∅ 149,0	69,6
∅ 64,9/∅ 43,2	14,6	∅ 97,3/∅ 42,2	45,5	∅ 129,7/∅ 48,3	87,8	∅ 194,6/∅ 110,9	150,6
∅ 64,9/∅ 49,5	11,3	∅ 97,3/∅ 48,5	42,2	∅ 129,7/∅ 61,0	80,5	∅ 194,6/∅ 161,7	72,2
∅ 68,0/∅ 55,9	9,8	∅ 97,3/∅ 54,9	39,9	∅ 129,7/∅ 73,7	71,2	∅ 207,3/∅ 98,2	201,6
∅ 71,2/∅ 30,5	24,8	∅ 97,3/∅ 61,2	36,0	∅ 129,7/∅ 80,0	63,8	∅ 207,3/∅ 123,6	168,7
∅ 71,2/∅ 36,8	22,9	∅ 97,3/∅ 67,6	33,1	∅ 129,7/∅ 86,4	59,4	∅ 207,3/∅ 149,0	128,1
∅ 71,2/∅ 43,2	20,0	∅ 97,3/∅ 73,9	25,4	∅ 129,7/∅ 99,1	45,0	∅ 207,3/∅ 174,4	77,1
∅ 71,2/∅ 49,5	16,4	∅ 97,3/∅ 80,3	19,2	∅ 129,7/∅ 105,4	35,2	∅ 232,7/∅ 149,0	189,3
						∅ 232,7/∅ 174,4	142,6

Info ALBROMET 200

ALBROMET 200 has excellent technical properties and is admitted for the food industry, as this material is nickel, tin and lead free. It's a type of the **Green Alloys**.

ALBROMET 200 is approved in the engineering sector, aircraft industry and naval architecture, water industries, as well as in the plastic technology and petrochemistry.



ALBROMET 200 Round, Horizontal Continuous Cast	
Size ∅ mm	Weight kg/m
14,1	1,2
20,4	2,6
26,8	4,3
33,1	6,7
39,5	9,4
42,6	11,0
45,8	12,7
52,2	16,4
58,5	20,6
64,9	25,2
71,2	30,4
77,6	36,0
84,6	42,8
90,9	49,5
97,3	57,1
103,6	64,4
110,6	72,2
117,0	80,7
123,3	88,4
129,7	100,3
142,4	120,3
156,5	146,2
169,2	171,0
181,9	193,9
207,3	252,9
232,7	318,5
Other dimensions on request	

ALBROMET 200 Round, extruded	
On request	

ALBROMET 220Ni Round / Tubes	
On request	

ALBROMET 260 Ni Round, extruded	
Size ∅ mm	Weight kg/m
20,0	2,4
25,0	3,7
26,0	4,0
28,0	4,7
31,0	5,7
32,0	6,1
35,0	7,3
40,0	9,6
45,0	12,1
50,0	14,9
55,0	18,1
60,0	21,5
65,0	25,2
70,0	29,2
75,0	33,6
81,0	39,2
86,0	44,1
91,0	49,4
102,0	62,1
115,0	79,0
122,0	88,9
133,0	105,6
142,0	120,4
Other dimensions on request	

ALBROMET 300 Round, extruded	
Size ∅ mm	Weight kg/m
16,0	1,4
27,0	4,1
31,0	5,5
36,0	7,3
41,0	9,5
46,0	12,0
51,0	14,7
53,0	15,9
56,0	17,7
61,0	21,0
63,0	22,4
66,0	24,6
71,0	28,5
76,0	32,7
81,0	37,1
91,0	46,8
96,0	52,1
102,0	58,8
Other dimensions on request	

Round

ALBROMET 300 HSC Round, wrought	
Size Ø mm	Weight kg/m
23,0	3,0
26,0	3,9
31,0	5,4
36,0	7,3
41,0	9,5
46,0	12,0
51,0	14,7
56,0	17,8
61,0	21,1
66,0	24,7
71,0	28,5
77,0	33,5
81,0	37,1
91,0	46,8
102,0	58,8
130,0	95,6

Premachined

Round material in HSC-
Quality cannot be
straightened afterwards for
technical reasons !

ALBROMET 340 Round, extruded
On request

ALBROMET 340 Round, Horizontal Continuous Cast
On request

ALBROMET 340 HSC Round, wrought	
Size Ø mm	Weight kg/m
26,0	3,8
31,0	5,5
36,0	7,4
41,0	9,5
46,0	12,0
51,0	14,7
56,0	17,8
61,0	21,1
66,0	24,7
71,0	28,5
77,0	33,6
81,0	37,1
102,0	58,5

Premachined

Round material in HSC-
Quality cannot be
straightened afterwards for
technical reasons !

ALBROMET 380 Round, Horizontal Continuous Cast	
Size Ø mm	Weight kg/m
102,0	57,2
112,0	69,0
122,0	81,8
132,0	95,8
142,0	110,8
152,0	127,0
162,0	144,5
172,0	163,0
182,0	182,0
192,0	203,0
202,0	225,0
222,0	271,0
242,0	322,0
262,0	377,5
282,0	437,0
302,0	501,5

Other sizes on request


ALBROMET 380 Round, extruded	
Size Ø mm	Weight kg/m
27,0	4,0
32,0	5,6
42,0	9,7
47,0	12,1
52,0	14,9
57,0	17,9
62,0	21,1
67,0	24,7
72,0	28,5
77,0	32,6
82,0	37,0
92,0	46,5

Bigger dimensions on request

ALBROMET 380 HSC Round, wrought	
Size Ø mm	Weight kg/m
51,0	14,3
56,0	17,3
61,0	20,5
66,0	24,0
71,0	27,7
77,0	32,6
81,0	36,1
91,0	45,5
102,0	57,2

Premachined

Round material in HSC-
Quality cannot be
straightened afterwards for
technical reasons !



ALBROMET CUTTING CENTER

Whatever size you need: We will fulfill your every wish. Our cutting center, located in Geretsried, provides timely implementation – even for the smallest material cuttings.

ALBROMET PROCESSING SERVICE

From boring to complex 3D contours – ALBROMET realizes processing in both small and large quantities – exactly to your specifications. Through the expertise and experience of ALBROMET, an excellent cost-benefit ratio is achieved.

According to the highest quality standards, we manufacture flanges in special sizes, moldings with special contours as well as rings, sockets, or adapters to your requirements – please contact us about your needs.

We are known for good service, highest competence, and flexibility – and for excellent customer service.

ALBROMET CONSULTANCY

ALBROMET Consultancy: We also help you develop solutions for production systems and end products that can not be realized due to special requirements with conventional materials.

Flat bars / Plates

ALBROMET 200 Flat bar, Horizontal Continuous Cast

**Available in production lengths á ca. 3650 mm and cutted parts on your demand also*

Sizes mm	Weight kg/m	Sizes mm	Weight kg/m	Sizes mm	Weight kg/m	Sizes mm	Weight kg/m	Sizes mm	Weight kg/m
8,1 x 26,5	1,9	14,4 x 51,9	6,0	20,8 x 77,3	12,7	33,5 x 45,6	11,9	46,2 x 128,1	44,4
8,1 x 39,2	2,6	14,4 x 64,6	7,4	20,8 x 90,0	14,8	33,5 x 51,9	13,5	51,2 x 52,5	21,1
8,1 x 51,9	3,5	14,4 x 77,3	8,9	20,8 x 102,7	16,6	33,5 x 64,6	16,9	52,5 x 64,6	26,2
8,1 x 64,6	4,2	14,4 x 90,0	10,3	20,8 x 128,1	20,5	33,5 x 77,3	20,0	52,5 x 77,3	31,3
8,1 x 77,3	5,1	14,4 x 102,7	11,5	21,3 x 154,0	25,3	33,5 x 90,0	23,4	52,5 x 90,0	35,4
8,1 x 102,7	6,8	14,4 x 128,1	14,5	21,3 x 204,8	33,8	33,5 x 102,7	26,5	52,5 x 102,7	41,3
8,1 x 128,1	8,2	14,9 x 154,0	18,0	21,3 x 308,0	50,8	33,5 x 128,1	33,1	52,5 x 154,0	61,7
8,1 x 154,0	10,4	14,9 x 204,8	23,4	27,1 x 27,1	5,7	35,9 x 257,2	73,6	54,9 x 308,0	130,4
8,1 x 308,0	20,5	16,8 x 257,2	34,1	27,1 x 32,9	7,2	39,8 x 39,8	12,3	54,9 x 384,2	163,6
11,2 x 26,5	2,5	16,8 x 308,0	39,3	27,1 x 39,2	8,4	39,8 x 45,6	14,3	64,6 x 65,2	32,1
11,2 x 39,2	3,6	17,6 x 26,5	3,8	27,1 x 45,6	9,7	39,8 x 51,9	16,1	65,2 x 77,3	38,9
11,2 x 51,9	4,7	17,6 x 39,2	5,6	27,1 x 51,9	11,0	39,8 x 64,6	19,7	65,2 x 102,7	51,3
11,2 x 64,6	5,8	17,6 x 51,9	7,3	27,1 x 64,6	13,6	39,8 x 77,3	23,9	65,2 x 128,1	63,9
11,2 x 77,3	7,1	17,6 x 64,6	8,9	27,1 x 77,3	16,2	39,8 x 90,0	26,9	65,7 x 154,0	76,8
11,2 x 90,0	7,9	17,6 x 77,3	10,7	27,1 x 90,0	19,0	39,8 x 102,7	31,6	67,6 x 308,0	157,1
11,2 x 102,7	9,2	17,6 x 102,7	14,3	27,1 x 102,7	20,8	39,8 x 128,1	38,9	67,6 x 384,2	195,9
11,2 x 128,1	11,5	17,6 x 128,1	17,6	27,1 x 128,1	26,9	40,3 x 154,0	47,4	77,9 x 77,9	46,3
11,7 x 154,0	14,3	18,1 x 154,0	21,6	27,6 x 154,0	32,9	42,2 x 308,0	103,0	77,9 x 102,7	61,1
11,7 x 204,8	17,2	18,1 x 204,8	27,7	27,6 x 179,4	37,6	42,2 x 384,2	123,9	78,4 x 154,0	91,9
11,7 x 308,0	27,8	20,8 x 20,8	3,3	27,6 x 204,8	42,5	45,6 x 257,2	89,0	80,3 x 384,2	233,9
14,4 x 14,4	1,7	20,6 x 26,5	4,5	29,5 x 308,0	72,4	46,2 x 51,9	18,7	93,3 x 384,2	268,8
14,4 x 26,5	3,1	20,8 x 39,2	6,6	29,5 x 384,2	89,6	46,2 x 64,6	23,2	105,7 x 105,7	84,3
14,4 x 32,9	4,0	20,8 x 51,9	8,6	33,5 x 33,5	8,7	46,2 x 77,3	27,8	105,7 x 384,2	312,4
14,4 x 39,2	4,6	20,8 x 64,6	10,5	33,5 x 39,2	10,3	46,2 x 102,7	35,6	154,6 x 154,6	180,2

Horizontal continuous cast material contains an allowance of ca. 1,6 – 2 mm for machining.


ALBROMET 220Ni Flat bars / Plates
On request

ALBROMET 300 Flat bars, extruded	
Sizes mm	Weight kg/m
11 x 45	3,6
15 x 45	4,9

ALBROMET 300 HSC Flat bars, wrought	
Sizes mm	Weight kg/m
8,0 x 45,0	2,6
18,0 x 25,5	3,3
18,0 x 45,0	5,9
Premachined	
Flat bars in HSC-Quality can not be straightened afterwards for technical reasons!	

GREEN ALLOYS – ACTIVE ENVIRONMENTAL PROTECTION WITH ALBROMET 200

Green Alloys are materials which contain little or no nickel, tin, or lead, and, therefore, are particularly environmentally friendly both in production as well as in recycling.



Choose the best tribology, service life, environmental protection, and use of resources!

Plates, forged:

**A-200, A-220Ni, A-260Ni
A-300, A-340 and A-380
available in thickness up to 200 mm**

ALBROMET 340 / 380 Plates, cast, premachined	
Sizes mm	Weight kg/m
32 x 800	182,0
40 x 800	227,2
50 x 800	284,0
60 x 800	340,8
80 x 800	454,4
In Production lengths á approx. 1500 mm.	
Also available in cutted pieces on your demand!	

ALBROMET 300 Plates, cast, premachined	
Sizes mm	Weight kg/m
30 x 400	86,4
42 x 400	121,0
54 x 400	155,5
67 x 400	193,0
80 x 400	230,4
93 x 400	267,8
In Production lengths á approx. 2000 mm.	
Also available in cutted pieces on your demand!	